Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4710	711/133,135,144,145,159,170. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:35
L2	14	L1 and (valid\$4 near3 (flag or bit)) same ((write or load) near3 (single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:36
L3	0	((evict\$3 near3 (main adj memory)) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:38
L4	32	((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/06 08:39
L5	1	(valid\$4) same (writ\$3 near3 (full\$3 or full) near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:39
S1	1695	711/133,159,170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 10:59
S2	17	711/133,159,170.ccls. and ((valid\$3 or real\$4 or authent\$5) with evict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:29
S 3	647311	711/133,135, "144", "145", "159, 170".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:23
S4	25	(711/133,135, "144", "145", "159, 170".ccls.) and ((valid\$3 or real\$4 or authent\$5) with evict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 09:48

		LASI Searc		•		
S5	497118	711/135, "144", "145".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 09:48
S6	25	(711/135, "144", "145".ccls.) and ((valid\$3 or real\$4 or authent\$5) with evict\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 09:49
S7	705	cache with (coherency near3 protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 02:15
S8	3	711/133,159,170.ccls. and (evict\$3 with ("same" near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:31
S9	21	711/133,159,170.ccls. and (evict\$3 with "same")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:32
S10	3	711/133,159,170.ccls. and (evict\$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:33
S11	7	"711"/\$.ccls. and (evict\$3 with wait)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:35
S12	8	evict\$3 with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 13:13
S13	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 11:44
S14	11	"711"/\$.ccls. and (castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 13:14

S15	16	(castout or cast-out or (cast adj out)) with wait	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 14:45
S16	19	(castout or cast-out or (cast adj out) or evict\$3) same partial same (cache near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/08/22 13:19
S17	2	"5561780".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 01:39
S18	8	(cache with (coherency near3 protocol)) same (MEI and MESI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/02/09 02:15
S19	0	cache same ((evict\$3 near3 (main adj memory)) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:24
S20	0	((evict\$3 near3 (main adj memory)) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 12:10
S21	29	cache same (evict\$3 near3 (main adj memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 12:11
S26	374	(I/O or (input adj output) or IO) with (cache near3 (store or save))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 10:59
S27	37	711/133,159,170.ccls. and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 11:05
S28	28	((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 11:22

		LASI Searc		/		
S29	19	"711"/\$.ccls. and ((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 14:44
S30	0	((cache adj line) near3 (portion or piece or part or section)) with (valid near3 bit) same (evict\$3 or replac\$3 or (write adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/28 11:22
S31	2	("20030084253").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/28 14:45
S32	7	cache same ((evict\$3 near3 dirty) with valid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:40
S33	127	cache same (evict\$3 near3 dirty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:53
S34	12	cache same (evict\$3 near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:55
S35	1	(cache near3 evict\$3) same (writ\$3 near3 (full\$3 or full) near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:58
S36	1	(valid\$4) same (writ\$3 near3 (full\$3 or full) near3 (single or one) near3 (transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 06:59
S37	26	(valid\$4) same (writ\$3 near3 (full\$3 or full) near3 line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:00
S38	44	(evict\$3) same (partial or full) near3 line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:07

S39	111	(evict\$3) same ((single or one) near3 (write or transaction or cycle))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:08
S40	89	(evict\$3) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:17
S41	6674	(valid\$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:23
S42	1006	"711"/\$.ccls. and (valid\$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:24
S43	4306	711/133,135,144,145,159,170. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 07:24
S44	204	S43 and (valid\$4) same ((single or one) near3 (transaction or cycle or operation))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:35

EAST Search History - Interference

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((cache with valid\$4) same ((single or one) near3 (write or access or transaction or cycle or load)) same (evict or cast-out or castout or (cast adj out))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:44
L2	42	((cache with valid\$4) same ((single or one) near3 (write or access or transaction or cycle or load))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:47
L3	8	((cache with (valid\$4 near4 (bit or flag))) same ((single or one) near3 (write or access or transaction or cycle or load))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/06 08:48



PALM INTRANET

Day: Monday Date: 3/6/2006 Time: 08:50:16

Inventor Information for 10/035034

Inventor Name	City	State/Co	State/Country	
CRETA, KENNETH C.	GIG HARBOR	WASHI	WASHINGTON	
BLANKENSHIP, ROBERT	TACOMA	WASHI	NGTON	
GEORGE, ROBERT	AUSTIN	TEXAS		
Appln Info Contents Petition Info	Atty/Agent Info	Continuity Data	Foreign Data	
Search Another: Application#	Search or	Patent#	Search	
PCT /	Search or PG	PUBS #	Search	
Attorney Docket #		Search		
Bar Code#	Search			

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office

Search Session History

BROWSE

SEARCH

IEEE XPLORE GUIDE

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#)

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- · Delete a search
- Run a search

Mon, 6 Mar 2006, 8:54:31 AM EST

Reset

Recent Search Queries

Run Search

Search Query Display

((((cache <sentence> valid) <paragraph> ((single or one) <near/3> (write or access or transaction or cycle or load))

<u>#1</u> <paragraph> (evict or cast-out or castout or (cast out)))) <in>metadata)

((((cache <sentence> valid) <paragraph> ((single or one) <near/3> (write or access or transaction or cycle or load)))) <u>#2</u> <in>metadata)

Clear Session ##story

indexed by # Inspec Help Contact Us Privacy &: © Copyright 2006 IEEE ~